



# MATERIALS



**SEAT  
(2)**




**FACIA BOARD  
(1)**




**TABLE  
(1)**




**LEG  
(2)**



**DECORATIVE LEG  
(2)**




**ARM (2 HOLES)  
(2)**



**ARM (3 HOLES)  
(2)**



**TABLE SUPPORT  
(1)**



## DOUBLE ADIRONDACK INSTRUCTIONS

5/32 ALLEN WRENCH  
(1)



2" SCREW  
(39)




1 3/8" SCREW  
(16)



### STEP 1:

Attach right and left legs to the seat using  
(4) 1 3/8" screws.



\*note: You will attach one leg with the  
decorative piece and one without to each seat.  
Screws will mount in back of decorative piece.



### STEP 2:

Attach back rest to each seat using  
(4) 2" screws.






### **STEP 3:**

Attach arms to the right and left legs using (5) 2" screws.

\*Note: The inside arm on both chairs should only have two screws.


### **STEP 4:**

Attach back of arms to the back rest using (4) 1 3/8" screws.



### **STEP 5:**

Attach rear support using (8) 2" screws.




## DOUBLE ADIRONDACK INSTRUCTIONS



### STEP 6:

Attach Table Support using  
(2) 2" screws.



### STEP 7:

Attach front fascia board using  
(6) 2" screws.

### STEP 8:

Attach table using (5)  
2" screws.

